

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Previously Presented): A computer-implemented method for evaluating dynamic perspective distortion of a transparent body comprising the steps of:

producing a model of three-dimensionally curved shape of a transparent body having a predetermined refractive index;

determining an eye point at a side of the model of three-dimensionally curved shape and a virtual evaluation pattern having a plurality of evaluation points at the other side of the model of three-dimensionally curved shape;

observing, from the eye point, the a virtual evaluation pattern through the transparent body, extracting perspective evaluation points as images of the evaluation points, obtained by observing through the transparent body, in a two-dimensional picture image obtained by the observation, and obtaining a plurality of distance values between a plurality of adjacent perspective evaluation points;

determining a reference value, among the plurality of distance values, and  
evaluating the dynamic perspective distortion of the transparent body by obtaining ratios of each of the plurality of distance values to the reference value, wherein  
the virtual evaluation pattern is an orthogonal grid pattern.

Claim 2 (Currently Amended): The computer-implemented method of Claim 1, wherein:

the dynamic perspective distortion of the transparent body is evaluated based on the rate of change of each of the ratios of the plurality of distance values to the reference value.

Claim 3 (Previously Presented): The computer-implemented method of to Claim 1, wherein:

the minimum value among the distance values is selected as the reference value, and the dynamic perspective distortion of the transparent body is evaluated based on the maximum value among the ratios of the distance values with respect to the minimum value.

Claim 4 (Canceled):

Claim 5 (Previously Presented): The computer-implemented method of Claim 1, wherein:

the transparent body is at least one selected from a glass sheet and a resinous plate.

Claim 6 (Previously Presented): The computer-implemented method of a transparent body according to Claim 1, wherein:

the image seen through the model of three-dimensionally curved shape of the transparent body is animation-displayed.

Claim 7 (Previously Presented): A computer-implemented method for correcting a three-dimensionally curved shape of a transparent body, comprising the steps of:

producing a model of three-dimensionally curved shape of a transparent body having a predetermined refractive index;

determining an eye point at a side of the model of three-dimensionally curved shape and a virtual evaluation pattern having a plurality of evaluation points at the other side of the model of three-dimensionally curved shape;

observing, from the eye point, the a virtual evaluation pattern through the transparent body, extracting perspective evaluation points as images of the evaluation points, obtained by observing through the transparent body, in a two-dimensional picture image obtained by the observation, and obtaining a plurality of distance values between a plurality of adjacent perspective evaluation points;

determining a reference value, among the plurality of distance values;

evaluating the dynamic perspective distortion of the transparent body by obtaining ratios of each of the plurality of distance values to the reference value, and

correcting the three-dimensionally curved shape of the transparent body according to the evaluation, wherein

the virtual evaluation pattern is an orthogonal grid pattern.

Claim 8 (Currently Amended): The computer-implemented method of Claim 7, wherein:

the dynamic perspective distortion of the transparent body is evaluated based on the rate of change of each of the ratios of the plurality of distance values to the reference value.

Claim 9 (Previously Presented): The computer-implemented method of Claim 7, wherein:

the minimum value among the distance values is selected as the reference value, and the dynamic perspective distortion of the transparent body is evaluated based on the maximum value among the ratios of the distance values with respect to the minimum value.

Claim 10 (Canceled):

Claim 11 (Previously Presented): The computer-implemented method of Claim 7,  
wherein:

the transparent body is at least one selected from a glass sheet and a resinous plate.

Claim 12 (Previously Presented): The computer-implemented method of Claim 7,  
wherein:

the image seen through the model of three-dimensionally curved shape of the  
transparent body is animation-displayed.